

HEAVY VAC

Heavy duty industrial machines

Industrial vacuum cleaners - Accessories



Catalogue - January 2012





Pic. Nr	Description	Ø mm	Part Nb.		M.U.	Notes
1	Flexible hose type Evaflex	40	400999		by meter	
		50	401000		by meter	
		70	401001		by meter	
2	Polyurethane antistatic, oil resistant flex hose type Oregon	40	401008		by meter	
		50	401009		by meter	
		70	401010		by meter	
3	Oil resistant, heat resistant up to 120°C flex hose type Evaflex					
		50	400997		by meter	
4	Calor flex hose, heat resistant (range -25°C +125°C) type Oregon	40	427167		by meter	
		50	422492		by meter	
5	Stainless steel flex hose	40	412509		by meter	On order
		50	426769		by meter	On order
		70	426770		by meter	On order
6	Antistatic rubber flex hose 3m with cuffs	40	426771		piece	On order
	Antistatic rubber flex hose 3m with cuffs	50	400995		piece	On order
	Antistatic rubber flex hose 3m with cuffs	70	400996		piece	On order
7	Rubber cuff, type Evaflex (black)	40	400991		piece	
		50	400992		piece	
		70	417722		piece	
8	Oil resistant rubber cuff, type Oregon (grey)	40	426766		piece	
		50	426765		piece	
		70	417720		piece	
9	Conductive rubber cuff, type Oregon (black)	40	417721		piece	
		50	401091		piece	
		70	400993		piece	
10	Silicone cuff, type Oregon (transparent)	40	426767		piece	
		50	426768		piece	
		70	417726		piece	
11	Conductive rubber cuff Ø50 for hose Ø40 type Oregon	40>50	427093		piece	To connect Ø50 accessories to Ø40 flex hose
	Conductive rubber cuff Ø50 for hose Ø40 type Evaflex	40>50	427234		piece	
12	Iron junction fitting or reduction	50	427092		piece	
		70>40	400578		piece	
		70>50	400579		piece	
		70	400570		piece	



13



14



15



16



17



18



19



20



21



22



23

Pic. Nr	Description	Ø mm	Part Nb.		M.U.	Notes
13	Stainless steel junction fitting or reduction	70>40	400581		piece	
		70>50	400582		piece	
		70	428146		piece	
14	Adjustable iron junction fitting or reduction	70>40	400968		piece	
		70>50	400969		piece	
		70	400575		piece	
15	Adjustable stainless steel junction fitting or reduction	70>40	400971		piece	
		70>50	400973		piece	
		70	400974		piece	
16	Iron hose fitting	40	400568		piece	To connect two flex hoses with cuffs
		50	400569		piece	
		70	428148		piece	
17	Stainless steel hose fitting	40	400571		piece	To connect two flex hoses with cuffs
		50	400572		piece	
		70	426772		piece	
18	Conductive rubber junction for type Evaflex flex hose	40	427235		piece	To connect two flex hoses without cuffs
	Conductive rubber junction for type Oregon flex hose	40	427236		piece	
19	Iron bifurcation with or without reduction	70>40-40	400981		piece	
		70>50-50	400982		piece	
		70-70-70	400977		piece	
20	Stainless steel bifurcation with or without reduction	70>40-40	400983		piece	
		70>50-50	400984		piece	
		70-70-70	426773		piece	On order
21	Adjustable iron bifurcation with or without reduction	70>40-40	400987		piece	
		70>50-50	400988		piece	
		70-70-70	400985		piece	
22	Adjustable stainless steel bifurcation with or without reduction	70>40-40	400989		piece	
		70>50-50	400990		piece	
		70-70-70	400986		piece	
23	Oil resistant rubber cone (grey)	40	401017		piece	To collect particles on machine tool
		50	426778		piece	
		70	426783		piece	



24



25



26



27



28



29



30



31



32



33

Pic. Nr	Description	Ø mm	Part Nb.		M.U.	Notes
24	Conductive rubber cone (black)	40	426777		piece	To collect particles on machine tool
		50	401018		piece	
		70	426779		piece	
25	Silicone cone (transparent)	40	426780		piece	To collect particles on machine tool
		50	426781		piece	
26	Oil resistant flat nozzle 120 mm (grey)	50	426774		piece	Textile and mechanical industries
	Conductive rubber flat nozzle 120 mm (black)	50	401093		piece	
	Silicone flat nozzle 120 mm (transparent)	50	426776		piece	
27	Rubber reduction	50>40	426784		piece	To reduce the diameter of rubber accessories from Ø50 to Ø40 or Ø38 mm
		50>38	426785		piece	
	Conductive rubber reduction	50>40	426786		piece	
		50>38	426787		piece	
28	Oil resistant (grey) rubber 45° adaptor from Ø50 to Ø40 (external) or Ø38 (internal)	50	427030		piece	Handgrip for all rubber accessories Ø50
	Conductive (black) rubber 45° adaptor from Ø50 to Ø40 (external) or Ø38 (internal)	50	427031		piece	
29	Oil resistant (grey) rubber cone for fine dust, 300 mm lenght	50	426788		piece	To collect saw dust or other fine dust
	Conductive (black) rubber cone for fine dust, 300 mm lenght	50	417699		piece	
	Silicone (transparent) cone for fine dust, 300 mm lenght	50	426789		piece	
30	Conductive (black) rubber narrow cone for fine dust	40	416956		piece	Thanks to its flexible and long neck it's possible to reach any difficult place
	Silicone (transparent) narrow cone for fine dust	40	427237		piece	
31	Nylon bristle round brush	40	401026		piece	
		50	401027		piece	
	Brass bristle round brush	40	422061		piece	
		50	401029		piece	
32	Cone adaptor for Ø50 round brush					To connect Ø50 round brush to Ø50 cuff cod. 400992
		50	417157		piece	
33	Oil and abrasion resistant, non conductive nylon bristle round brush with handgrip Ø40 (external) Ø38 (internal)	80	426542		piece	For heavy applications
		100	426543		piece	



34



35



36



37



38



39



40



41



42



43

Pic. Nr	Description	Ø mm	Part Nb.		M.U.	Notes
34	Non conductive horsehair bristle round brush with handgrip Ø40 (external) Ø38 (internal)	80	426544		piece	For heavy applications
		100	426545		piece	
35	Conductive nylon+brass bristle round brush with handgrip Ø40 (external) Ø38 (internal)	80	426550		piece	For heavy applications
		100	426551		piece	
36	Conductive horsehair+brass bristle round brush with handgrip Ø40 (external) Ø38 (internal)	80	426548		piece	For heavy applications
		100	426549		piece	
37	Plastic crevice	37	417701		piece	For all fissures
		40	401024		piece	
		50	401025		piece	
	Plastic crevice type "America"	40	422075		piece	
38	Stainless steel crevice	40	421670		piece	High resistance for all fissures
		50	401023		piece	
	Aluminum crevice	40	427028		piece	
		50	427029		piece	
39	Chromium plated extension wand 500 mm	40	401011		piece	
		50	401012		piece	
	Stainless steel extension wand 500 mm	40	426790		piece	
		50	426427		piece	
40	Chromium plated curve handgrip	40	417239		piece	
		50	401021		piece	
	Stainless steel curve handgrip	40	427027		piece	
		50	426428		piece	
41	Chromium plated extension wand with curve handgrip					To use exclusively with 450 mm floor nozzle cod.418105
		50	417921		piece	
42	Scraping crevice	40	401094		piece	To clean tank for lathes, drilling tools and grinders.
		50	401095		piece	
		70	401096		piece	
43	Aluminium pipe with handle					To collect light but bulky materials, as leafs, wastepapers etc.
		70	401031		piece	



44



45



46



47



48



49



50



51



52



53



54

Pic. Nr	Description	Ø mm	Part Nb.		M.U.	Notes
44	400 mm liquid & dust adjustable floor nozzle type WW	40	401032		piece	
	500 mm liquid & dust adjustable floor nozzle type WW	50	401035		piece	
45	Liquid inserts for floor nozzle cod. 401032		401033		couple	
	Liquid inserts for floor nozzle cod. 401035		412663		couple	
	Brush inserts for floor nozzle cod. 401032		401034		couple	
	Brush inserts for floor nozzle cod. 401035		401037		couple	
46	450 mm liquid & dust adjustable floor nozzle type G					
		50	418105		piece	
47	455 mm liquid & dust adjustable floor nozzle type NH	40	427026		piece	
		50	427025		piece	
48	400 mm liquid & dust floor nozzle with wheels type NH	40	427033		piece	
		50	427034		piece	
49	Liquid inserts for floor nozzle cod. 427033 and cod. 427034		427040		couple	
	Liquid inserts for floor nozzle cod. 427025 and cod. 427026		427041		couple	
	Brush inserts for floor nozzle cod. 427033 and cod. 427034		427042		couple	
	Brush inserts for floor nozzle cod. 427025 and cod. 427026		427043		couple	
50	370 mm aluminum floor nozzle for ovens					
		40	412457		piece	
51	410 mm plastic floor nozzle for ovens					
		40	427572		piece	
52	Silicone inserts for floor nozzle cod. 412457		422405		couple	
	Silicone inserts for floor nozzle cod. 412572		427656		couple	
53	Extension wand for ovens with adaptor 1 m					To use with floor nozzle cod. 412457
		40	417919		piece	
54	Extension wand for ovens 1 m					Each piece connected to cod. 417918 increases the lenght by 1 meter
		40	417918		piece	



55



56



57



58



59



60



61



62



63



64



65

Pic. Nr	Description	Ø mm	Part Nb.		M.U.	Notes
55	Complete flex hose for ovens 2,5 m x 170°C	40	418213		piece	
56	Animal brush	36	401030		piece	
57	Bracket for ring 100 l container	460	214345		piece	
	Ring for emptying 100 l container	460	204612		piece	
58	Galvanized steel removable cyclone cone	460	401047		piece	Compulsory for all vacs with tangential hose inlet and suggested for central hose inlet overall for liquids collection
	Stainless steel removable cyclone cone	460	401048		piece	
59	Complete stainless steel tank for separator 100 l	460	204604		piece	
60	Iron cover for separator Ø460	50	204607		piece	
		70	204608		piece	
61	Iron cover for separator with float Ø460	50	204605		piece	
		70	204606		piece	
62	Iron cover for separator for very hot materials Ø460	50	204609		piece	
		70	204610		piece	
63	Galvanized steel bag block		401050		piece	Rolled up to the bottom part of the bag it stretches the bag itself
64	Galvanized steel shavings separator basket	460	221075		piece	Inserted to the tank it separates shavings from chemical water or oil. It's composed of a basket (Nb. 401049) and of a frame (Nb. 432380)
		460	401049		piece	
		460	432380		piece	
65	Galvanized grill for fast discharge kit or bag-tightener kit cod. 426782	460	427664		piece	Suggested for fast discharge kit but compulsory for bag-tightener kit



66



67



68



69



70



71



72



73



74



75

Pic. Nr	Description	Ø mm	Part Nb.		M.U.	Notes
66	Valve for fast discharge kit					Placed on the bottom of the tank allows an easy emptying of liquids
			204615		piece	
67	bag tightener kit with tube it (to use only with galvanized grill)					Spiral tube that links the filter chamber to the tank, creating a depression that forces the bag to stick to the tank
			426782		piece	
68	400 l skip (tipping)					
		70	401038		piece	
69	Single phase vacuum unit HP3 ON		401066		piece	For industrial vacs with turbine placed on the top cover
	Three phases vacuum unit HP4 ON		401062		piece	
70	Three phases vacuum unit HP4		418242		piece	
	Three phases vacuum unit HP5,5		401064		piece	
	Three phases vacuum unit HP7,5 parallelo		401065		piece	
	Three phases vacuum unit HP7,5 serie		418241		piece	
71	Relief valve					
		50	401056		piece	
72	Raising handle for turbine placed on the top cover					
			417766		piece	
73	Relief valve silencer					
		50	401058		piece	
74	Colplete head 3 motors 230 V		204663		piece	
	Colplete head 2 motors 230 V		216678		piece	
75	Galvanized steel way-out air silencer with 2" coupling					
		88	401054		piece	



76



77



78



79



80



81



82



83

Pic. Nr	Description	Ø mm	Part Nb.		M.U.	Notes
76	Plastic way-out air silencer with TMB coupling					
		125	418075		piece	For models TRI 30 S and TRI 30 SS
77	Single phase by-pass motor 800 W		401059		piece	
	Single phase by-pass motor 1100 W		401060		piece	
	Single phase by-pass motor 1400 W		417798		piece	
78	Polyester star filter	240	428566		piece	For model M 251
	Heat resistant star filter	240	428587		piece	
	Antistatic star filter	240	428586		piece	
	Teflon star filter	240	428585		piece	
	Polyester star filter	350	417448		piece	For models M 301, M 302, M 501, M 502, TRI 30 SS
	Heat resistant star filter	350	428589		piece	
	Antistatic star filter	350	428588		piece	
	Teflon star filter	350	427494		piece	
	Polyester star filter	460	405422		piece	For models M 402, M 402 E, M 403, M 602, M 602 E, M 603, M 1003, M 602 SE, M 1003 SE, M 602 SEA, M 1003 SEA, M 60 T, M 100 T, T 60 T, T 100 T, T 40, T 55, T 75, T 75 S, T 40 SEA, T 55 SEA, T 75 SEA, T 75 SSEA, A60, A100
	Heat resistant star filter	460	405423		piece	
	Antistatic star filter	460	405424		piece	
	Teflon star filter	460	405425		piece	
79	Light nylon filter					Protection for star filter
		460	417435		piece	
80	TNT filter					Use & throw away economic protection for star filter
		460	417431		piece	
81	Heavy nylon filter					Placed on the tank it separates oil from solid materials
		460	417434		piece	
82	HEPA absolute filter kit (H.E.P.A. 0,3 micron, 99,97% efficiency)	350	221560		piece	Additional filter to stop dangerous substances . Suitable for all models with a 350 mm tank except model TRI 30 S
	Only HEPA absolute filter					
		350	434793		piece	
83	HEPA absolute filter kit (H.E.P.A. 0,3 micron, 99,97% efficiency)	460	222272		piece	Additional filter to stop dangerous substances . Suitable for all models with a 460 mm tank
	Only HEPA absolute filter					
		460	405426		piece	



84



85



86




87



88



89



90



91

Pic. Nr	Description	Ø mm	Part Nb.		M.U.	Notes
84	600 mm fixed floor nozzle kit with 1 m flex	50	216792		piece	To collect dust from the floor
	760 mm fixed floor nozzle kit with 1 m flex	70	216674		piece	
85	600 mm galvanized steel squeegee	50	216791		piece	Dust
	760 mm galvanized steel squeegee	70	216676		piece	Dust
	540 mm stainless steel squeegee	40	204574		piece	Liquid
	760 mm stainless steel squeegee	40	204575		piece	Liquid
86	Blades for squeegee cod. 216791		427218		couple	Dust
	Blades for squeegee cod. 216676		427219		couple	Dust
	Blades for squeegee cod. 204574		417213		couple	Liquid
	Blades for squeegee cod. 204575		417211		couple	Liquid
87	1 m flex hose for fixed floor nozzle	40	216794		piece	
		50	216677		piece	
		70	216790		piece	
88	Mounting stand for squeegee					
			216675		piece	
89	Electronic float kit for single phase models		204614		piece	
	Electronic float kit for three phase models		204613		piece	
90	Mechanical float kit for 60 l tank	460	217502		piece	In must be used only in connection with correctly mounted cyclone cone
	Mechanical float kit for 100 l tank	460	217185		piece	
91	2" connection for oil's drums - 40/50 mm		433322		piece	To be screwed on oils' drums. The 50 mm curve is connected to the vacuum cleaner while the 40 mm curve is linked to the oil to suck



K1



K2



K3



K4

Pic. Nr	Description	Ø mm	Q.ty	Part Nb.		Notes
K1	Complete Standard kit Ø40 mm	40	1	217177		
	Couple of chromium plated extension wands "S" shape		1	401069		Components of kit Nb. 217177
	Brush floor nozzle		1	401070		
	Plastic crevice		1	401024		
	Nylon bristle round brush		1	401026		
	Flexible hose type Evaflex		3	400999		
	Rubber cuff, type Evaflex (black)		1	400991		
	Conductive rubber cuff Ø50 for hose Ø40 type Evaflex		1	427234		
K2	Complete Extra kit Ø40 mm	40	1	217178		
	Chromium plated extension wand 500 mm		2	401011		Components of kit Nb. 217178
	Chromium plated curve handgrip		1	417239		
	400 mm liquid & dust floor nozzle with wheels type NH		1	427033		
	Plastic crevice		1	401024		
	Nylon bristle round brush		1	401026		
	Flexible hose type Evaflex		3	400999		
	Rubber cuff, type Evaflex (black)		1	400991		
	Conductive rubber cuff Ø50 for hose Ø40 type Evaflex		1	427234		
K3	Complete Standard kit Ø50 mm	50	1	217180		
	Chromium plated extension wand with curve handgrip		1	417921		Components of kit Nb. 217180
	400 mm liquid & dust floor nozzle with wheels type NH		1	427034		
	Plastic crevice		1	401025		
	Nylon bristle round brush		1	401027		
	Cone adaptor for Ø50 round brush		1	417157		
	Flexible hose type Evaflex		3	401000		
	Rubber cuff, type Evaflex (black)		2	400992		
K4	Complete Extra kit Ø50 mm	50	1	217181		
	Chromium plated curve handgrip		1	401021		Components of kit Nb. 217181
	Chromium plated extension wand 500 mm		2	401012		
	Spazzola registrabile per polvere e liquidi da 455 mm tipo NH		1	427025		
	Plastic crevice		1	401025		
	Nylon bristle round brush		1	401027		
	Cone adaptor for Ø50 round brush		1	417157		
	Flexible hose type Evaflex		3	401000		
	Rubber cuff, type Evaflex (black)		2	400992		

Pic. Nr	Description	Ø mm	Q.ty	Part Nb.		Notes
K5	Complete Antistatic kit Ø40 mm	40	1	217182		
	Stainless steel curve handgrip		1	427027		Components of kit Nb. 217182
	Stainless steel extension wand 500 mm		2	426790		
	455 mm liquid & dust adjustable floor nozzle type NH		1	427026		
	Stainless steel crevice		1	421670		
	Conductive nylon+brass bristle round brush with handgrip Ø40 (external) Ø38 (internal)		1	426550		
	Polyurethane antistatic, oil resistant flex hose type Oregon		3	401008		
	Manicotto in gomma conduttivo, passo tipo Oregon nero		1	417721		
	Conductive rubber cuff Ø50 for hose Ø40 type Oregon		1	427093		
K6	Complete Antistatic kit Ø50 mm	50	1	217183		
	Stainless steel curve handgrip		1	426428		Components of kit Nb. 217183
	Stainless steel extension wand 500 mm		2	426427		
	500 mm liquid & dust adjustable floor nozzle type WW		1	401035		
	Stainless steel crevice		1	401023		
	Conductive nylon+brass bristle round brush with handgrip Ø40 (external) Ø38 (internal)		1	426550		
	Polyurethane antistatic, oil resistant flex hose type Oregon		3	401009		
	Conductive rubber cuff Ø50 for hose Ø40 type Oregon		2	401091		
K7	Complete Standard kit for ovens Ø40 mm (not for very hot substances)	40	1	217184		
	410 mm plastic floor nozzle for ovens		1	427572		Components of kit Nb. 217184
	Extension wand for ovens 1 m		2	417918		
	Conductive rubber cuff Ø50 for hose Ø40 type Evaflex		1	427234		
	Rubber cuff, type Evaflex (black)		1	400991		
	Calor flex hose, heat resistant (range -25°C +125°C) type Oregon		3	427167		
K8	Complete Extra kit for ovens Ø40 mm	40	1	217186		
	370 mm aluminum floor nozzle for ovens		1	412457		Components of kit Nb. 217186
	Extension wand for ovens 1 m		1	417918		
	Extension wand for ovens with adaptor 1 m		1	417919		
	Iron junction fitting or reduction		1	400578		
	Complete flex hose for ovens 2,5 m x 170°C		1	418213		

HEAVY VAC

Heavy duty industrial machines



Dealer's signature and stamp
Stempel und Unterschrift des Verkäufers
Cachet et signature du Distributeur
Handtekening en stempel distributeur
Timbro e firma del rivenditore
Sello y firma del Revendedor



nuove aspirazioni